



UNIVERSITY OF HAWAI'I  
**CANCER CENTER**

Thoracic Oncology Seminar

**"Malignant Pleural Mesothelioma In Turkey"**

Wednesday, May 23, 2018  
12:00 p.m.



**Salih Emri, M.D.**

*Professor, Faculty of Medicine,  
Kemerburgaz University, Dept. of Chest Diseases,  
Yeditepe Specialty Hospital,  
Istanbul, Turkey*

**University of Hawaii Cancer Center**

701 Ilalo Street, 5th Fl.

Conference Room 501





26.01.2018

**Prof.Dr. K.A. Salih EMRI**

### **Cirriculum Vita**

Prof. Dr. K. A. Salih Emri was born in Ankara in 1957. After completing his primary and secondary education in Ankara, he graduated from Hacettepe University, Faculty of Medicine in 1982. Between 1982-1984 he performed the compulsory service in Gulyalı Health Center in Ordu,, a city located in northern part of Turkey. He was also appointed as Chief Assistant of Health Directory at the Health Administrative Center of Ordu. At the end of compulsory service, he

returned to Hacettepe University and started his residency in Internal Medicine Department upon references of Prof. Dr. Sadi Caglar, Prof. Dr. Hasan Telatar, and Prof. Dr. Şükran Karacadağ in 1984 and became an Internal Diseases Specialist in 1989. After his residency, he completed the military service in 1989 at the GATA Gastroenterology Clinic in Ankara as a Specialist in Internal Diseases (Policlinic Responsible and Physician in charge at the Adult Emergency Policlinic). At the end of the military service, he returned to the Chest Diseases Clinic, a subunit of the Hacettepe Medical School, Internal Medicine Department.

Prof. Dr. Izzettin Baris was in charge of the department and upon his approval he started to work as a specialist lecturer in the Chest Diseases Clinic. He became Assoc. Prof. in Medicine after passing the exam conducted at the Cerrahpasa Faculty, Internal Medicine Department, in 1991. In 1992, he completed the residency programme of pulmonology in the Department of Chest Diseases of the Faculty of Medicine of Hacettepe University, where he was a Specialist Instructor, and was appointed as Associate Professor, an open position of the Chest Diseases Department of Hacettepe Medical Faculty. Doctor Salih Emri than was awarded a scholarship by TUBITAK and went to USA as a Research Fellow in the Department of Medical Oncology Department at Boston University, Medical Faculty between July 1993 and June 1994 in order to specialize in the diagnosis, etio-pathogenesis and treatment of mesothelioma and lung cancer.

Prof. Dr. Emri was involved in clinical and in-vitro research studies with Prof. Dr. Ronald McCaffrey and his team. In 1994, at the University of Boston's sleep laboratory, he studied for 4 months under the guidance of Prof. Dr. Sanford Auerbach. After returning to Turkey in 1994, he continued to work on the diagnosis and treatment of lung and pleural cancers in Chest Diseases clinic. He did private practices as a part time faculty member between 2006-2011 in his private clinic. In 2011 he closed the private clinic and returned as a full-time teaching professor at Hacettepe Medical Faculty Chest Diseases Clinic. In the same year, he was appointed as the Chief of the Department of Chest Clinic. Dr. Salih Emri retired by 1 December 2016 from the Hacettepe

Faculty of Medicine where he served as an academician for 30 years. While leading the Chest Clinic he provided EBUS and founded a new bronchoscopy unit with mini medical thoracoscopy instruments, fiberoptic bronchoscopy scopes, cryotherapy, cardiopulmonary exercise test laboratory, pulmonary function test laboratory and a new sleep laboratory. In addition he provided the clinic young lecturers, organised and founded numerous new clinics as the Department of Occupational Diseases, Medical Geology and Mesothelioma Practice and Research Center and Adult Cystic Fibrosis and Smoking Cessation Clinic. Following his retirement in 2016, he was appointed as a professor at the Kemerburgaz-Altinbas University Faculty of Medicine, Department of Chest Diseases in Istanbul on 31.03.2017 and worked as a Chest Disease specialist at Goztepe Medical Park Hospital until 13.11.2017. Upon request he moved to Yeditepe University Speciality Hospital in order to reconstruct a new Chest Disease Department .

**International publications:** Prof.Dr. Salih Emri has a total of 127 publications .

There are a total of **37 articles** in the journals covered by SCI and SCI-EXP. In this group of publications titled "**Simian virus 40 is not a cofactor in the pathogenesis of Environmentally Induced Malignant Pleural Mesothelioma in Turkey** " is the main research work and was published in 2000, in **Anticancer Research** .In this study ,SV40 virus DNA sequences have been investigated in paraffin tissues of Turkish mesothelioma cases in the framework of a TUBITAK project and had been found that this virus was not a co-factor in mesothelioma pathogenesis in Turkey.

**Citations:**In the ISI Web of Science, there are a total of 2,746 citations to 82 articles (excluding citations to self articles). **The h-index is calculated as 20.** In addition, important textbooks such as DeVita Cancer, Fishman's Pulmonary Diseases and Disorders have also been referred to in his 4 articles.

**Book chapters, editorships, referees:**

**International foreign language (English) books:** He was among the authors of four international books chapters

1. Barış Yi, Çöplü L, Selçuk ZT, Emri S, Şahin AA. Erionite-related diseases. Sluysen M (ed). Asbestos-related cancer, London, Ellis Horwood, 1991, pp 256-275.

2. Barış Yi, Çöplü L, Selçuk ZT, Emri S, and Şahin AA. Mesothelioma due to environmental exposure to erionite in two anatolian villages in Turkey. WHO regional publication European series No. 19. Copenhagen, 1991; 149-155.

3. Dogan AU, Emri S, Dogan M. Erionite. Chapter in Encyclopedia of Toxicology

4. Emri S, Tuncer M, Baris Yi. Malignant Pleural Mesothelioma in Turkey. Malignant Pleural Mesothelioma. O'Byrne K and Rusch V (eds), New York, Oxford University Press, 2006, pp 27-31

He is the editor of the Turkish translation of Lancet .

He was among board member of Lung Cancer for a while.

He gave presentations in 16 international symposiums or congresses as guest speakers mainly on environmentally induced malignant pleural mesotheliomas.

He attended 23 national congresses and symposiums as a speaker. He directed and ended 9 thesis in total and 3 of their owners of these theses have being studied in different hospitals and universities. (Prof. Dr. Yalçın Karakoca, Prof. Dr. Taylan Kav, Prof. Dr. Yücel Üstündağ) .There are projects supported by 3 international organizations. He is currently conducting the TUBITAK 1003 project and has a research laboratory in Hacettepe Teknokent. Theoretical and practical lectures have been given to students in classes III, IV and VI. For 30 years.

**International award;** Inaugural London Foundation-AACR INNOVATOR Award. Together with Doctors; Cox, Pass, Steele, Testa, Baris, Dogan, Yang and Carbone

**Projects supported by international organizations:**

1. Smoking Behavior and attitudes, Project No. 94-0200 / 02882, IDRC
2. Exposure to Biomass Combustion and Prevalence of Chronic Lung Disease in Women (Turkey), Project No. 02595 / 95-0216, IDRC
3. SMS Turkey. Fogerty International Center of the National Institutes of Health, award number R01TW007918.

**Professor Dr. Salih Emri is a member of the following scientific and professional organizations.**

1. Turkish Respiratory Research Association (TUSAD)
2. Turkish Medical Association (TTB)
3. European Respiratory Society (ERS)
4. International Association for the Study of Lung Cancer (IASLC)

#### List of Publications:

#### A. Thirty seven (37) research papers in the journals covered by SCI and SCI-EXP-index:

1. Taşdemir I, Sivri B, Turgan Ç, Emri S, Yasavul U, and Çağlar Ş. The expanding spectrum of a disease. Behçet's disease associated with amyloidosis. *Nephron* 1989; 52: 154-157.
2. Selçuk ZT, Çöplü L, Emri S, Kalyoncu AF, Şahin AA, Barış Yİ. Malignant pleural mesothelioma due to environmental mineral fiber exposure in Turkey. Analysis of 135 cases. *Chest* 1992; 102: 790-796.
3. Akhan O, Demirkazık FB, Özmen MN, Balkancı F, Özkara Ş, Çöplü L, Emri S, and Besim A. Tuberculous pleural effusions: Ultrasonic diagnosis. *J Clin Ultrasound* 1992; 20: 461-465.
4. Şahin AA, Çöplü L, Selçuk ZT, Eryılmaz M, Emri S, Akhan O, Barış Yİ. Malignant pleural mesothelioma caused by environmental exposure to asbestos or erionite in rural Turkey: CT findings in 84 patients. *AJR* 1993; 161: 533-537.
5. Tansan T, Emri S, Selçuk T, Koç Y, Hesketh P, Heeren T, McCaffrey RP, and Barış Yİ. Treatment of Malignant Pleural Mesothelioma with Cisplatin, Mitomycin C and Alpha Interferon. *Oncology* 1994; 51: 348-351.
6. Kalyoncu AF, Selçuk ZT, Karakoca Y, Emri AS, Çöplü L, Şahin AA, and Barış Yİ. Prevalence of childhood asthma and allergic disease in Ankara. *Allergy* 1994; 49: 485-488.
7. Idell S, Pueblitz S, Emri S, Gungen Y, Gray L, Kumar A, Holiday D, Koenig KB, and Johnson AR. Regulation of Fibrin Deposition by Malignant Mesothelioma. *Am J Pathol* 1995; 147: 1318-1329.
8. Kalyoncu AF, Çöplü L, Selçuk ZT, Emri AS, Kolaçan B, Kocabaş A, Akkoçlu A, Erkan L, Şahin AA, and Barış Yİ. Survey on the allergic status of patients with bronchial asthma in Turkey: A multicenter study. *Allergy* 1995; 50: 451-455.
9. Shetty S, Kumar A, Pueblitz S, Emri S, Gungen Y, Johnson AR, and Idell S. Fibrinogen Promotes Adhesion of Monocytic to Human Mesothelioma Cells. *Thromb Haemost* 1996; 75: 782-790.
10. Özdemir O, Emri S, Karakoca Y, Sayınalp N, Akay H, Dündar S, and Barış Yİ. Fibrinolytic System in Plasma and Pleural Fluid in Malignant Pleural Mesothelioma. *Thromb Res* 1996; 84:121-128.
11. Kostakoglu L, Kıratlı P, Ruacan S, Hayran M, Emri S, Ergün EL, Bekdik CF.

Association of tumor washout rates and accumulation of technetium-99m-MIBI with expression of P-glycoprotein in lung cancer. *J Nucl Med* 1988; 39: 228-234.

12. Dumortier P, Coplu L, Maertelaer V, Emri S, Bari I, Vuyst PD. Assessment of environmental asbestos exposure in Turkey by bronchoalveolar lavage. *Am J Respir Crit Care Med* 1998; 158: 1815-1824.
13. Emri S, Bagcı T, Karakoca Y, Barış E. Recognition of cigarette brand names and logos by primary school children in Ankara. *Tobacco Control* 1998;7: 386-392.
14. Emri S, Kocagöz T, Olut A, Güngen Y, Mutti L, Baris YI. Simian virus 40 is not a cofactor in the pathogenesis of environmentally induced malignant pleural mesothelioma in Turkey. *Anticancer Research* 2000; 20: 891-894.
15. Atımtay AT, Emri S, Bagcı T, Demir AU. Urban CO exposure and its health effects on traffic policemen in Ankara. *Environmental Research* 2000; 82: 222-230.
16. Emri S, Akbulut H, Zorlu F, Dinçol D, Akay H, Güngen Y, İcli F. Prognostic significance of flow cytometric DNA analysis in patients with malignant pleural mesothelioma. *Lung Cancer*. 2001; 33: 109-114.
17. Roushdy-Hammady I, Siegel J, Emri S, Testa JR, Carbone M. Genetic-susceptibility factor and malignant mesothelioma in the Cappadocian region of Turkey. *Lancet* 2001;357:444-445.
18. Olut A, Firat P, Ertugrul D, Gungen Y, Emri S. Ras oncoprotein expression in erionite -and asbestos-induced Turkish malignancy pleural mesothelioma-a pilot study. *Respiratory Medicine* 2001;95:697-698.
19. Dumortier P, Coplu L, Broucke I, Emri S, Selcuk T, de Maertelaer V, De Vuyst P, Baris I. Erionite bodies and fibres in bronchoalveolar lavage fluid (BALF) of residents from Tuzkoy, Cappadocia, Turkey. *Occup Environ Med* 2001;58:261-266.
20. Jasani B, Cristaudo A, Emri SA, Gazdar AF, Gibbs A, Krynska B, Miller C, Mutti L, Radu C, Tognon M, Procopio A. Association of SV40 with human tumours. *Semin Cancer Biol* 2001;11: 49-61. Review.
21. Emri S, Demir A, Dogan M, Akay H, Bozkurt B, Carbone M, Baris I. Lung diseases due to environmental exposures to erionite and asbestos in Turkey. *Toxicology Letters* 2002;127: 251-257. Review.
22. Tomek S, Emri S, Krejcy K, Manegold C. Chemotherapy for malignant pleural mesothelioma: past results and recent developments. *British Journal of Cancer* 2003; 88: 167-174.
23. Emri S. Recent developments in the therapy of malignant pleural mesothelioma. *Indoor and Built Environment* 2003;12:391-393(review)
24. Vogelzang NJ, Rusthoven J, Paoletti P, Denham C, Kaukel E, Ruffie P, Gatzemeier U, Boyer MJ, Emri S, Niyikiza C. Phase III study of pemetrexed in combination with cisplatin versus cisplatin alone in patients with malignant pleural mesothelioma. *J Clin Oncol* 2003; 21: 2636-2644.
25. Emri S, Demir AU. Malignant pleural mesothelioma in Turkey, 2000-2002. *Lung Cancer* 2004;455: S17-S20.

26. Aslan D, Altıntaş H, Emri S, et al. Self-evaluations of tuberculosis patients about their illnesses at Ankara Atatürk Sanatorium Training and Research Hospital, Turkey. *Respir Med* 2004;98:626-631.
27. Kokturk N, Firat P, Akay H, Kadilar C, Ozturk C, Zorlu F, Gungen Y, Emri S. Prognostic significance of Bax and Fas Ligand in erionite and asbestos induced Turkish malignant plural mesothelioma. *Lung Cancer* 2005;50:189-198.
28. Dogan AU, Baris YI, Dogan M, Emri S, steele I, Elmishad AG, Carbone M. Genetic predisposition to fiber carcinogenesis causes a mesothelioma epidemic in Turkey. *Cancer Res* 2006;66:5063-5068.
29. Carbone M, Emri S, Dogan AU, Steele I, Tuncer M, Pass HI, Baris YI. A mesothelioma epidemic in Cappadocia:scientific developments and unexpected social outcomes. *Nat Rev Cancer* 2007; 2:147-154. *Review*.
30. Zorlu Af, Selek U, Emri S, Gurkaynak M, Akyol FH. Second line palliative endobronchial radiotherapy with HDR Ir 192 in recurrent lung carcinoma. *Yonsei Med J* 2008; 49: 620-624.
31. Hurmuz P, akyol F, Selek U, Ozyigit G, Dogan R, Ozdemir N, Tastepe I, Cangir AK, Kara M, Demirkazik FB, Emri S. The efficiency and toxicity of hemithoracic radiotherapy after extra pleural pneumonectomy in malignant pleural mesothelioma. *UHOD* 2010;20:20-26.

32. Bacanlı S , Icen D , Emri S . Fuzzy approach of group sequential test for binomial case.

HACETTEPE JOURNAL OF MATHEMATICS AND STATISTICS, Volume: 43, Issue: 6 Pages: 1017-1034, 2014.

33. Emri S, Kilickap S, Kadilar C, Halil MG, Akay H, Besler T. Serum levels of alpha-tocopherol, vitamin C, beta-carotene, and retinol in malignant pleural mesothelioma. *Asian Pac J Cancer Prev*. 2012;13(7):3025-9.

34. Onder S, Guler G, Emri S, Firat P. EGFR expression and gene copy number in malignant pleuraş mesothelioma in Turkey. *UHOD-Uluslararası Hematoloji Onkoloji Dergisi* 2012;22(3): 181-186.

35. Ybarra M, Bağcı Bosi AT, Korchmaros J, Emri S. Correction: A Text Messaging-Based Smoking Cessation Program for Adult Smokers: Randomized Controlled Trial. *J Med Internet Res*. 2015 Jun 5;17(6):e125. doi: 10.2196/jmir.4655

36. Er M, Emri SA, Demir AU, Thorne PS, Karakoca Y, Bilir N, Barış Yİ. Byssinosis and COPD rates among factory workers manufacturing hemp and jute. *Int J Occup Med Environ Health* 2016;29(1):55–68 DOI: 10.13075/ijomh.1896.00512.

37. Ozturk O, Sandal A, Karahan S, Er B, Onder S, Koksall D, Maden E, Emri S. Diagnostic yield of conventional transbronchial needle aspirat,on biopsy(C-TBNA) withoutan on site cytopathologist: Experience of 363 procedures in 219 patients. *TUBERCULOSIS AND THORAX* 2016,64:137-143,doi: 10.5578/TT.10905

**b) 18 technical notes, case reports and similar articles were published in the journals covered by SCI and SCI-Expanded index:**

1. Taşdemir I, Turgan Ç, Emri S, Yasavul U, Çağlar Ş, Bakkaloğlu M, Erkan I, and Erol D. Spontaneous perirenal haematoma secondary to polyarteritis nodosa. *Br JUrol* 1988; 62, 219-222.
2. Emri S, Çöplü L, Selçuk ZT, Şahin AA, Barış Yİ. Hypertrophic pulmonary osteoarthropaty in a patient with pulmonary microlithiasis. *Thorax* 1991; 46:145-146.



3. Coplu L, Emri S, Selçuk ZT, Kalyoncu F, Balkancı F, Şahin AA, Barış Yİ. Life threatening chylous pleural and pericardial effusion in a patient with Behçet's syndrome. *Thorax* 1992; 47: 64-65.
4. Vuyst P, Dumortier P, Jacobovitz D, Emri S, Çöplü L, and Barış YI. Environmental asbestosis complicated by lung cancer. *Chest* 1994; 105: 1593-1595.
5. Ustündağ Y, Emri S, Bayraktar Y. Superior vena cava thrombosis and obstructive sleep apnea in a patient with familial mediterranean fever. *Am J Med Sci* 1998; 316:53-55.
6. Aydın M, Emri S, Caner B. Tc-99m-pertechnetate scintigraphy before and after potassium perchlorate administration for the diagnosis of retrosternal goiter. *Clinical Nuclear Medicine* 2000; 25: 467-468.
7. Usalan C, Emri S. Exertional dyspnea and nonproductive cough in a 22-year-old man. *Postgrad Med J* 2000; 76: 115-117.
8. Ariyurek MO, Karçaaltınbaça M, Demirkazık FB, Akay H, Gedikoglu G, Emri S. Bilateral multiple pulmonary tuberculous nodules mimicking metastatic disease. *Eur J Radiol* 2003; 44: 33-36.
9. Erdogan E, Demirkazık FB, Gulsun M, Ariyurek M, Emri S, Sak SD. Incidental localized (solitary) mediastinal malignant mesothelioma. *Br J Radiol* 2005; 78: 858-861.
10. Oyan B, Koc Y, Emri S, Kansu E. Improvement of Chronic pulmonary graft-vs-host disease manifesting as bronchiolitis obliterans organizing pneumonia following extracorporeal photopheresis. *Medical Oncology* 2006;23:125-129.
11. Hurmuz P, Zorlu F, Cansiz C, Emri S. Malignant pleural mesothelioma with brain metastasis. *J BUON* 2009; 14: 123-125.
12. Kara M, Onder S, Firat P, Emri S. A rare histological presentation of a common lung tumor: adenoleiomyomatous hamartoma. *Acta Chir Belg* 2012 Jan;112(1):74-6.
13. Tutluer S, Tanriover MD, Emri S. Systemic glucocorticoid and anti-tuberculosis therapy in a patient with coexisting tuberculosis and anthracosis. *Sarcoidosis Vasc Diffuse Lung Dis* 2013 Dec 17;30(4):308-11.
14. Koksall D. , Ibrahimov, F., Bugdayci M. Gedikoglu G., Emri, S. Primary diffuse pleural rhabdomyosarcoma in an adult patient (Article) . *Asian Cardiovascular and Thoracic Annals*, Volume 24, Issue 1, 1 January 2016, Pages 98-100.
15. Er B, Koksall D, Kalyoncu U, Ozmen O, Emiralioğlu N, *Yalcin EG*, Ergun E, Emri S. Takayasu's arteritis as the aetiology of unresolved fever in an adult patient with cystic fibrosis. *Acta Clin Belg* 2015 Aug;70(4):295-8. doi: 10.1179/2295333715Y.0000000013.

16. Esendagli D, Koksali D, Emri S. Recovery of pulmonary and skin lesions of sarcoidosis after tymectomy. *Acta Clinica Belgica* 2016, 71:441-443.
17. Ozturk O, Esendagli D, Yazici E, köksali D, Emri SK. Giant endotracheal thrombus: a rare cause of post-operative dyspnea. *Tuberk Toraks* 2016 64: 321-323.
18. Koksali D, Ulasli SS, Emri S. Medical thorascopy/pleuroscopy: is it underutilized? *Eur Clin Respir J* 2017; Jan 6;4(1):1270078.

**c) Forty two (42) presented congress abstracts or editorial notes which were published in SCI and SCI-Expanded covering journals.**

1. Kalyoncu AF, Çöplü L, Emri AS. Indiscriminate prescribing of NSAID's (Letter to the editor). *NZ Med J* 1991; 11: 388.
2. Kalyoncu AF, Selçuk ZT, Emri AS, Çöplü L, Şahin AA, Barış Yİ. Echinococcosis in the Middle East and Turkey (Letter to the editor). *RID* 1991; 13: 1028-1029.
3. Kalyoncu AF, Selçuk ZT, Iskendarani A, Çöplü L, Emri S, Şahin AA, and Barış Yİ. Alternative and complementary medicine for asthma (Letter to the editor). *Thorax* 1992; 47: 762.
4. Şahin AA, Selçuk ZT, Kalyoncu AF, Çöplü L, Emri S, and Barış Yİ. Treatment of echinococcus granulosus cysts (Letter to the editor). *Scand J Infect Dis* 1993; 25: 269.
5. Emri S, Karakoca Y, Barış Yİ, Zorlu F, Akyol F, and Akay H. Preventive irradiation after invasive diagnostic and therapeutic procedures in malignant pleural mesothelioma (Letter to the editor). *Chest* 1996; 109: 1665-1666.
6. Emri S, Bağcı T, Karakoca Y. Cigarette smoking habits among primary school children in Turkey (Letter to editor). *Chest* 1997;112: 863-864.
7. Emri S. New legislation in Turkey (Letter to editor). *Tobacco Control* 1997; 6: 61.
8. Üstündag Y, Öksüzoglu G, Emri S, Kalyoncu F, Tatar G. Atopy and food allergy in varioliform gastritis. (Letter to the editor). *J Clin Gastroenterol* 1998;27: 275-276.
9. Selçuk ZT, Emri S, Şahin AA, Barış YI, Çöplü L, Kalyoncu F, Artvinli M. Malignant mesothelioma and erionite exposure. (Letter to the editor). *Eur Respir J* 1999; 14: 480-81.
10. Dogan AU, Baris YI, Emri S, Testa JR, Carbone M. Familial malignant mesothelioma (authors'reply). *Lancet* 2001; 358: 1813-1814.
11. *Carbone M, Bocchetta M, Cristaudo A, Emri S, and et al.* SV40 and human brain tumors (Letters to editor). *Int J Cancer* 2003; 106: 140-142.

12. Isıldak M, Guven GS, Emri S. Mesothelioma and venous thrombosis. (author reply) *CMAJ* 2004; 171: 11.
13. Barış I, Tansan S, Çöplü L, Hesketh P, Selçuk T, Mc Caffrey R, Emri S, Şahin A, and Bernal S. Malignant mesothelioma related to erionite exposure in central Turkey. *ASCO* 1991; 10: 132.
14. Akhan O, Boyvat F, Emri S, Özmen M, Çöplü L, Arıyürek M, Eryılmaz M, and Barış İ. CT classification of pulmonary hydatid disease. *Eur Respir J* 1993; 6 (suppl 17): 557s.
15. Coplu I, Selcuk ZT, Yılmaz AS, Kalyoncu AF, Emri S, Sahin AA, Baris YI. Pulmonary symptoms and function in tea workers. *Eur Respir J* 1992; 5 (suppl 15): 247s.
16. Baris B, Coplu L, Emri S, Karakoca Y. Erionite-related non-mesothelial malignancies in Turkey. *Eur Respir J* 1993; 6 (suppl 17): 487s.
17. Emri S, Koç Y, O'brien MC, Sanders D, Tansan S, and Foss F. Taxol and arginine butyrate exert additive anti-proliferative effects on human mesothelioma cells. *ASCO* 1994; 13: 130.
18. Kalyoncu AF, Özyılkan E, Emri AS, Şimşek H, Çöplü L, Barış YI. The prevalences of atopy and bronchial hyperreactivity (BFR) in patients with familial Mediterranean fever (FMF). *Allergy* 1994; suppl 2: 399s
19. Cila A, Emri S, Akhan O, Fındık S, Çöplü L, Şahin A, and Barış YI. MR imaging versus CT in staging of environmental malignant pleural mesothelioma. *Eur Respir J* 1995; 8 (suppl 19): 370s.
20. Coplu L, Kalyoncu AF, Karakoca Y, Coplu N, Emri S, Sahin AA, Baris YI. Respiratory disorders in paper factory workers exposed to mixture of reed and straw dust. *Eur Respir J* 1995; 8 (suppl 19): 109s
21. Bayraktar Y, Üstündag Y, Emri S, Balkancı F, Özcebe OI, DüNDAR SV. Pulmonary arterial involvement in Behcet disease. *Revue Du Rhumatisme. English Edition. Joint, Bone, Spine Diseases* 1996; 63(No 7-8):547.
22. Üstündag Y, Emri S, Özcebe OI, Kalyoncu F, Baris YI, DüNDAR SV. Bronchial hyperresponsiveness in Behcet's disease. *Revue Du Rhumatisme. English Edition. Joint, Bone, Spine Diseases* 1996; 63(No 7-8):557.
23. Üstündag Y, Emri S, Özcebe OI, DüNDAR SV, Baris YI. Severe pulmonary tuberculosis in association with Behcet's disease. *Revue Du Rhumatisme. English Edition. Joint, Bone, Spine Diseases* 1996; 63(No 7-8):557.
24. Coplu L, Demir AU, Karakoca Y, Baris B, Emri S, Sahin AA, Baris YI. Mesothelioma and other malignancies due to erionite exposure in Turkey. *Lung Cancer* 1996; 15: 2702.
25. Coplu L, Emri S, Selcuk ZT, Bagcı AT, Fındık S, Kalyoncu F. The prevalences of cigarette smoking among the medical school students of Hacettepe University in Ankara. *Eur Respir J* 1998; 12 (suppl 28): 80s.
26. Köksal AŞ, Emri S, Üsküdar O. Effect of nicotine replacement therapy in quitting in a hospital base clinic of Türkiye. *Eur Respir J* 1999; 14 (suppl 30): 75s.

27. İnce Dİ, Dolunay N, Savcı S, Emri S, Arıkan H. Health related quality of life in patients with chronic obstructive pulmonary diseases. *Eur Respir J 1999; 14 (suppl 30): 382s.*
28. Bilir N, Emri S, Yıldız AN, Demir A. Domestic exposure to biomass smoke and COPD prevalence among women in Turkey. *Eur Respir J 1999; 14 (suppl 30): 485s.*
29. Ertuğrul D, Köksal A, Olut A, Akçay A, Ağca E, Kirazlı S, Emri S. The diagnostic value of TNFa and TNFa receptor levels in patients with malignant pleural mesothelioma. *Eur Respir J 2000; 16(suppl 31): 357s.*
30. Er M, Emri S, Demir AU, Karakoca Y, Thorne PS, Bilir N, Baris YI. Prevalence of byssinosis and chronic respiratory diseases in factory workers exposed to hemp and jute in Taşköprü, a town of central Anatolia. *Eur Respir J 2000; 16(suppl 31): 109s.*
31. Soylu AR, Sivri B, Emri S, et al. Combined lansoprazole and cisapride therapy improves pulmonary symptoms in asthmatics with gastroesophageal reflux. *Gastroenterology 2001;120:A403.*
32. Bağcı T, Aycengel SG, Demir AU, Bozkurt B, Öztekin Z, Emri S. High levels of carboxyhemoglobin due to propane-fueled heater in Turkey. *Eur Respir J 2002; 20(suppl 38): 206s.*
33. Selcuk T, Ergan B, Demir AU, Cöplü L, Fırat P, Emri S, Kalyoncu F, Şahin A, Artvinli M. Overview of thoracoscopic findings between 1975 and 2000 in Hacettepe university hospital. *Eur Respir J 2002; 20(suppl 38): 71s.*
34. Akay H, Emri S, Kiliç D, Kadılar C, Dizbay S, Zorlu F, Baris I. The management of malignant pleural mesothelioma due to environmental exposure to erionite and asbestos in Turkey. *Lung Cancer 2003; 41(suppl 2): 217s.*
35. Emri S, Kiliçkap S, Kadılar C, Khalil M, Akay H, Besler T. Serum vitamin E, vitamin C, beta carotene, and retinol levels and the risk of malignant pleural mesothelioma in Turkey. *Lung Cancer 2003; 41(suppl 2): 219s.*
36. Pistolesi M, Symanowski J, Gatzemeier U, Emri S, Conte P, Manegold C, Levitan N, Blatter J, Paoletti P. Improving pulmonary function in patients with malignant pleural mesothelioma: results of the phase III trial of pemetrexed+cisplatin vs. cisplatin. *Lung Cancer 2003; 41(suppl 2): 220s.*

37. Carbone M, Emri S, Dogan AU, Dogan M, Steele I, Tuncer M, Baris YI. The mesothelioma epidemic in Cappadocia:

The gene environment interection. *Lung Cancer* 2006; 54: S1

38. Emri S, Hurmuz P, Kadilar C, Cangir A, Zorlu F, Dogan R, akyol F. Pemetexed-carboplatin doublets showed better median survival than pemetexed-cisplatin in the treatment of Turkish malignant pleural mesothelioma patients.

JOURNAL OF THORACIC ONCOLOGY 2011, 6: S1371-S1371,MEETING ABSTRACT

39. *Esendagli D* , Ozme F, Onder S , Korkmaz E , Koksai D , Emri S .The Association of HLA-DRB1\*and HLA-DQB1\*Alleles With the Extent and Course of Disease in Patients With Sarcoidosis CHEST 2015,Volume: 148 Issue: 4 Supplement: S Meeting Abstract: 416A DOI: 10.1378/chest.2268051

40. Emri SA, Yonar D, Sandal A, Yilmaz U, Severcan F. Differentiaition of mesothelioma from Lung Cancer and healthy individuals using human serum by ATR-FTIR spectoroscropy coupled with chemometrics. JOURNAL OF THORACIC ONCOLOGY 2015,10:S631-S631, MEETING ABSTRACT p2.08.-012

41. Abbas S, Ozek NS, Koksai D, Severcan M, Emri SA, Severcan F. Infrared spectoroscropy as a novel approach in differential diagnosis of malignant pleural mesothelioma from lung cancer using pleural fluid. JOURNAL OF THORACIC ONCOLOGY 2015, 10:s350-s350, MEETING ABSTRACT:MINI 24.07(ORAL PRESENTATION).

42. ESENDAGLI DR, Ozturk O, Ersel D, Akduman S, Koksai D, Emri S. Short-term results of a registered smoking cessation clinic with patients referred by ALO 171 quitline. EUROPEAN RESPIRATORY JOURNAL 2014, 44: MEETING ABSTRACT, p4160

**d) 12 full-text articles published in international journals outside of SCI-EXP and scanned by ISI.**

1. Emri S, Barış B, Lheureux P, Leduc D, Yskenderany A, Seber O, and Barış YI. Carbon monoxide poisoning related to the use of stem coal in poorly ventilated bucket stoves. *Eur J Emerg Med* 1995; 2: 92-95.

2. Emri S, Ustundag Y, Budak T, Karakoca Y, Ozdemir O. Assessment of the value of fibronectin as a tumor marker in malignant pleural mesothelioma. *Monaldi Arch Chest Dis* 1997; 52: 335-338.

3. Karakoca Y, Emri S, Bagci T, Demir A, Erdem Y, Barış E, Sahin AA. Environmentally induced malignant pleural mesothelioma and HLA distribution in Turkey: *Int J Tuberc Lung Dis* 1998;2:1017-1022 .

4. Olut A, Ertugrul DT, Kocagoz T, Er M, Emri S. HHV-8 is not a cofactor in the pathogenesis of environmentally induced malignant pleural mesothelioma. *Monaldi Arch Chest Dis* 2000;55: 110-113.

5. Ozer N, Shehu V, Aytemir K, Ovunc K, **Emre S**, Kes S. Echocardiographic findings of pericardial involvement in patients with malignant pleural mesothelioma with a history of environmental exposure to asbestos and erionite. *Respirology* 2000 ;5: 333-6.
6. Caglar M, Ergun E, Emri S. 99Tcm-MAA lung scintigraphy in patients with Behcet's disease: its value and correlation with clinical course and other diagnostic modalities. *Nucl Med Commun.* 2000; 21: 171-9.
7. Fani Bozkurt M, Basaran Demirkazik F, Emri S, Caner B. Ventilation-perfusion lung scan and helical computed tomographic findings in a patient with behcet's disease. *Clin Nucl Med* 2001; 26:721-722.
8. Olut AI, Erguven S, **Emri S**, Ozunlu H, Akay H. Diagnostic value of dot immunobinding assay for human pulmonary hydatidosis. *Korean J Parasitol* 2005; 43:15-18.
9. **Emri S**, Turnagül H, Basoglu S, Bacanlı S, Guven GS, Aslan D. Asthma-like symptoms prevalence in five Turkish urban centers. *Allergol Immunopathol(Madr)* 2005;33:270-276.
10. Tug E, Tug T, Elyas H, Coskunsel M, **Emri S**. Tumor suppressor gene alterations in patients with malignnat mesothelioma due to environmental asbestos exposure in Turkey. *J Carcinog* 2006;5:23.
11. Ybarra ML, Bosi-Bağcı AT, Bilir N, Holtrop JS, Korchmaros J, **Emri S**. Interest in technology-based and traditional smoking cessation programs among adult smokers in Ankara, Turkey. *Tobacco Induced Diseases* 2011; 9:10-16.
12. Emri SA. The Cappodocia mesothelioma epidemic: its influence in Turkey and abroad. *Ann Transl Med* 2017;Jun;5(11):239.

**e) There are 4 case presentations published in international journals outside of SCISCI-EXP and scanned by ISI.**

1. Usalan C, **Emri S**. **Membranoproliferative glomerulonephritis associated with small cell lung carcinoma.** *International Urology and Nephrology* 1998; 30:209-213.
2. Erdogan E, Demirkazik FB, **Emri S**, Firat P. Organizing pneumonia after radiation therapy for breast cancer. *Diagn Interv Radiol* 2006;12:121-124.
- 3.Oz GS, Emri S, Apras BS. Development of interferon induced sarcoidosis in a patient with familial mediterranean fever. *Tuberk Toraks* 2008; 56: 319-324.
- 4.Öztürk Ö, Köksal D, Emri S. Tracheoesophageal fistula in a treatment naive patient with lung cancer. *Tuberk Toraks.* 2014;62(2):174-6.

**f) The number of articles and presentations published in other journals (turkish and foreign) is 14.**

1. Emri S, Bayraktar Y, Arslan S, Karağaoğlu E, Arıogul S, Kayhan B, Telatar H.HBsAg pozitif karaciger hastalıklarında delta hepatiti. *Hacettepe Tıp Dergisi* 1989; 22: 341-350.
2. Karaeren N, Emri S, Önde E, Alper A, Dağalp K, Karaagaoğlu E, Yılmaz I. Nicardipine'in aşağı özefagus sfinkter basıncı ve distal özefagus kontraksiyonlarına etkisi. *GATA Bülteni* 1991; 33: 395-404.
3. Emri S, Barış B, Kalyoncu F, Çopur AS, Şahin AA and Barış YI. Thymoma associated with leucopenia hypergammaglobulinemia and leucocytoclastic vasculitis. *Eur J Int Med* 1991; 2: 9-11.
4. Karakoca Y, Emri S, Cangir AK, Baris YI. Environmental pleural plaques due to asbest and fibrous zeolite exposure in Turkey. *Indoor Built Environ* 1997; 6: 100-105.
5. Bayraktar Y, Üstündağ Y, Bayraktar M, Arslan S, Özdemir A, Emri S. Unusual manifestations of familial mediterranean fever. *Turk J Gastroenterol* 1997; 8: 458-463.
6. Zorlu F, Cengiz M, Emri S, Kars A, Akyol F. External radiotherapy and HDR Ir-192 brachytherapy boost in primary tracheal tumors. *Turk J Cancer* 2000; 30: 75-80.
7. Dogan M, Emri S. Environmental health problems related to mineral dusts in Ankara and Eskisehir, Turkey. *Yerbilimleri* 2000; 22: 149-161.
8. Emri S. Sigara Bırakma Yöntemleri. *Hacettepe Tıp Dergisi* 2002;33:10-18
9. Olut A, Emri S, derun E, Aşık M, Bozkurt B, Demir AU, Artvinli M, Günalp A. Astma and atypical bacterial infections: chlamydia pneumoniae, mycoplasma pneumoniae and legionella pneumophila. *Turkish Respiratory Journal* 2003; 4: 47-50.
10. Emri S, Kalyoncu F, Demircin M, Erzen C,Şahin AA, and Barış YI. A tymphic cyst with transient and spontaneous regression and false-positive cytology. *JMI* 1989; 3: 18-21.
- 11.Emri S, Zorlu F, Kisacik G, Yildirim M, Baris YI. Multiple endobronchial metastases from hemangiopericytoma with recurrent tumoral expectoration. *Turk J Med Sci* 1997; 27 : 273-275.
12. Demirkazık FB, Aksu AÖ, Cangir A, et al. Radiation-induced liver injury and foreign body reaction secondary to the diaphragmatic Teflon patch in an operated malignant pleural mesothelioma patient:CT, MRI and PET-CT findings. *European Journal of Radiology Extra* 2008; 66:e85-e89.
- 13.Tanrıover MD, Arsava BE, Emri S. Pulmonary embolisim due to metal coil:case report.(metal halkaya bağlı akciğer embolisii). *Türkiye Klinikleri J Med Sci* 2011;31:1551-1553.
- 14.Yıldız O, Adıgüzel M, Cangir AK, Atasoy Ç, Emri S. Eş zamanlı allerjik bronkopulmoner aspergillozis ve mediastinal lenf nodu. *Tur Toraks Der* 2011; 12:114-116.

25.01.2018

**Özgeçmiş:** Prof.Dr. K. A. Salih Emri 1957 yılında Ankara'da doğmuştur. İlk ve orta eğitimini Ankara'da tamamladıktan sonra 1974 yılında Merkezi Sınavla, 120 kişilik Hacettepe Tıp Fakültesi kazananlarından biri olarak önce 1 yıl İngilizce hazırlık sınıfı, takiben 1982 Haziran ayında Hacettepe Üniversitesi Tıp Fakültesinden mezun olmuştur. 1982-1984 yılları arasında Ordu İli Gülyalı Sağlık Ocağında Ocak Hekimliği ve Ordu Sağlık Müdür Yardımcılığı Görevlerinde bulunmuştur. Zorunlu hizmet bitiminde yuvası olan Hacettepe Üniversitesine dönerek çok sevdiği İç Hastalıkları AD'da Prof. Dr. Şali Çağlar, Prof. Dr. Hasan Telatar, Prof. Dr. Şükran Karacadağ hocalarından aldığı referanslarla İç Hastalıklarının yaptığı merkezi sınava girerek 1984 yılında iç hastalıkları AD'da asistanlık eğitimine başlamış ve 1989 yılında İç Hastalıkları uzmanı olmuştur. Uzmanlık sonrası, 1989 yılında Ankara'da GATA Gastroenteroloji Kliniğinde İç Hastalıkları Uzmanı olarak ( poliklinik sorumlusu ve Büyük Acil Polikliniği sorumlu doktoru) askerlik hizmetini tamamlamıştır. Askerlik hizmetinin bitiminde tekrar o yıllarda Hacettepe Tıp Fakültesi İç Hastalıkları AD altında bir ünite olarak çalışan Göğüs Hastalıkları Kliniğine, Prof. Dr. İzzettin Barış'ın isteği ile yan dal uzmanlığı için uzman öğretim görevlisi olarak geri dönmüştür. Prof. Dr. İzzettin Barış'ın onayı ile 1991 yılında Cerrahpaşa Tıp Fakültesi, İç Hastalıkları AD'da yapılan sınav ile İç Hastalıkları Doçenti olmuştur. 1992 yılında, Uzman Öğretim Görevlisi olarak bulunduğu Hacettepe Üniversitesi Tıp Fakültesi Göğüs Hastalıkları AD'nda yan dal uzmanlığını tamamlayarak, aynı yıl Hacettepe Tıp Fakültesi Göğüs Hastalıkları AD'da açık olan Türkçe Doçent kadrosuna atanmıştır. Prof. Dr. Salih Emri, Prof. Dr. İzzettin Barış'ın yönlendirmesi ile Akciğer ve akciğer zarı kanseri olarak bilinen Mezotelyoma hastalığının tanı, etyopatogenez ve tedavisinde spesifik olarak uzmanlaşmak üzere Temmuz 1993- Haziran 1994 yılları arasında Boston Üniversitesi Tıp Fakültesi Tıbbi onkoloji bölümünde Resarch Fellow olarak TUBITAK bursu ile çalışmalarda bulunmuş, bu süre zarfında Prof. Dr. Ronald McCaffrey ve ekibi ile klinik ve in-vitro resarch çalışmalarında bulunmuştur. 1994 yılında Boston Üniversitesinin uyku Laboraturunda 4 ay uyku hastalıkları konusunda Prof. Sanford Auerbach ile çalışmalarda bulunmuştur. 1994 yılında yurda döndükten sonra Göğüs Hastalıkları kliniğinde akciğer ve plevra kanserlerinin tanı ve tedavisi üzerinde çalışmalarına devam etmiş ve 2006-2011 yılları arasında kısmi statüde öğretim üyeliği yaparak muayenesinde hastalarını kabul etmiş, 2011 yılında muayenesini kapatarak tekrar tam zamanlı öğretim üyeliğine dönüş yapmış ve 29 Eylül 2012 yılında Hacettepe Tıp Fakültesi Göğüs Hastalıkları Kliniğinde profesörlük kadrosuna atanmıştır. Aynı yıl Anabilim Dalı Başkanlığına atanan Prof. Dr. Salih Emri, 30 yıl akademisyen olarak hizmet verdiği Hacettepe Tıp Fakültesindeki görevinden 1 Aralık 2016 tarihi itibarı ile kendi isteği ile emekli olmuştur. Anabilim Dalı Başkanlığı sırasında Göğüs Hastalıkları kliniğine yeni bir bronkoskopi ünitesi ile EBUS, mini medikal torakoskopi, fiberoptik bronkoskoplar, cryoterapi, kardiyopulmoner egzersiz testi laboratuvarı, sipirometri ve yeni bir uyku laboratuvarı kazandırmış, kliniği genç öğretim üyeleri takviye etmiş, Meslek Hastalıkları Bilim Dalı, Medikal Jeoloji ve Mezotelyoma Uygulama ve Araştırma Merkezi ve Erişkin Kistik Fibrozis ve Sigara Bıraktırma Kliniklerini kurmuştur. Emekli olmasını takiben İstanbul'da 31.03.2017 tarihinde Kemerburgaz-Altınbaş Üniversitesi Tıp Fakültesi Göğüs Hastalıkları anabilim Dalına profesör olarak atanmış ve 13.11.2017 tarihine kadar Göztepe Medical Park Hastanesinde göğüs hastalıkları uzmanı olarak çalışmış, 6 Aralık 2017 tarihinde T.C. Yeditepe Üniversitesi İhtisas hastanesine göğüs hastalıklarını kliniğini yapılandırmak için yer değiştirmiştir.